



# **TANGSHAN RUNYING**

**INTEGRITY, INNOVATION, MUTUAL BENEFIT  
COMMON PROSPERITY, SUSTAINABLE BUSINESS!**

Our tenet is "Client oriented, Faith is root".





# 「简介」COMPANY OVERVIEW >>>

付出终有回报 努力就有梦想

PAY WILL RETURN TO HAVE DREAMS



## ABOUT US

Tangshan Runying International Trade Co., Ltd. is located in Tangshan City, one of the largest steel production bases in China. It is a steel enterprise that can meet diversified purchasing requirements of customers with first hand supply.

Our main products cover galvanized coil, galvanized steel sheet, C channel steel, angle steel, H beam, I beam, U channel steel, steel sheet pile and other steel-related products. We mainly export to Africa, South America, Southeast Asia and Middle East, such as Nigeria, Rwanda, Kenya, Myanmar, Philippines, Ecuador, Jordan and Dubai.

We adhere to the principle of "Customer first, Quality first". Have established long stable term and win-win partnership with many large steel factories in China. We will wholeheartedly provide you with more thoughtful and perfect service.



## PPGI/PPGL




|                      |                                      |
|----------------------|--------------------------------------|
| Product Name         | PPGI/PPGL Coils                      |
| Thickness            | 0.12-4.0mm                           |
| Width                | Coil:600-1500mm / strip:20-600mm     |
| Zinc/Aluzinc coating | Z15-275g/m2                          |
| Coating thickness    | Top-15-35 microns, Back 5-15 microns |
| Color                | Ral color                            |
| Surface pattern      | Wrinkle/Wooden/Marble/flower         |
| Coil ID              | 508/610mm                            |


## GALVANIZED/GALVALUMED




|                   |                                                             |
|-------------------|-------------------------------------------------------------|
| Product Name      | Galvanized Steel Coil/Strip/sheet                           |
| Material          | SGCC, SGCH, DX51D, DX52D, DX53D, S350GD, S550GD             |
| Thickness         | 0.12-6.0mm                                                  |
| Width             | Coil:600-1500mm / strip:20-600mm                            |
| Zinc coating      | Z30-600g/m2                                                 |
| Coil ID           | 508/610mm                                                   |
| Surface structure | Zero spangle, Minimum spangle, Regular spangle, Big spangle |
| Surface treatment | Chromated / Non-Chromated, Oiled / Non-oiled, Skin pass     |




|              |                                                  |
|--------------|--------------------------------------------------|
| Product Name | Color Coated Corrugated Roof Sheet               |
| Thickness    | 0.13-1.0MM                                       |
| Width        | 665mm, 762mm, 800mm, 810mm, 900mm or as required |
| Length       | 1000-12000mm                                     |
| Color        | Ral color                                        |
| Types        | Tile, Wavy tile, Glazed tile                     |



|                   |                                                              |
|-------------------|--------------------------------------------------------------|
| Product Name      | Galvalumed Steel Coil/Strip/sheet                            |
| Material          | SGCC, SGCH, DX51D, DX52D, DX53D, S350GD, S550GD              |
| Thickness         | 0.14-1.5mm                                                   |
| Width             | Coil: 600-1250mm strip:20-600mm                              |
| AluZinc coating   | AZ30-275g/m2                                                 |
| Color             | Natural, blue, golden, green                                 |
| Coil ID           | 508 /610mm                                                   |
| Surface treatment | Chromated/Non-Chromated, Oiled / Non-oiled, Anti fingerprint |




|              |                                                                  |
|--------------|------------------------------------------------------------------|
| Product Name | Stone Coated Metal Roof Tile                                     |
| Thickness    | 0.25-0.5MM                                                       |
| Size         | 1340x420mm                                                       |
| Color        | Factory color                                                    |
| Cover Area   | 0.48M2/tile, 2.1 tiles/M2                                        |
| Types        | Classic type, Milano type, Roman type, Nossen type, Shingle type |




|                   |                                                  |
|-------------------|--------------------------------------------------|
| Product Name      | Galvanized /Galvalumed Corrugated Roof Sheet     |
| Coating           | 30-275g/m2                                       |
| Surface Treatment | Zinc coated/aluzinc coated                       |
| Thickness         | 0.13-1.0MM                                       |
| Width             | 665mm, 762mm, 800mm, 810mm, 900mm or as required |
| Length            | 1000-12000mm                                     |







|              |                                                                |
|--------------|----------------------------------------------------------------|
| Product Name | Hot Rolled Steel Coil/Sheet                                    |
| Steel Grade  | Q235, Q355, S235jr, S355jr, A36, SS400                         |
| Thickness:   | Thin:1.4-4mm, middle thick: 4-25mm, thick>25mm                 |
| Common Width | 1000mm,1219mm,1250mm,1500mm,1800mm,2000mm,2200mm,2500mm,3000mm |
| Length:      | 2000mm,2438mm,3000mm,6000mm or as required                     |
| Surface      | Black, Painted (varnish coating), Galvanized, Oiled            |
| Coil Weight  | 8 MT-30MT                                                      |

|                   |                                     |
|-------------------|-------------------------------------|
| Product Name      | Cold Rolled Steel Coil/Sheet        |
| Thickness         | 0.12-4.0mm                          |
| Width             | Coil:600-2000mm, Strip:30-600mm     |
| Coil ID           | 508/610mm                           |
| Surface Treatment | Matt Finish/Bright Finish Oiled/Dry |
| Annealing Methods | Bright Anneal/Black Anneal          |
| Coil Weight       | 3MT-17MT                            |



|              |                                 |
|--------------|---------------------------------|
| Product Name | Black Annealed Coil             |
| Steel Grade  | SPCC, Q195, Q235                |
| Thickness    | 0.12-4.0mm                      |
| Width        | Coil:600-2000mm, Strip:30-600mm |
| Coil Weight  | 3-17 MT                         |
| Coil ID (mm) | 508/610mm                       |

|                   |                                               |
|-------------------|-----------------------------------------------|
| Product Name      | Hot Rolled Checker Coil/Plate                 |
| Steel Grade       | Q235, A36, SS400                              |
| Thickness         | 2-12mm                                        |
| Common width      | 1000mm, 1200mm, 1250mm, 1500mm, 1800mm,2000mm |
| Pattern           | Tear drop                                     |
| Surface Treatment | Black, Galvanized                             |
| Coil Weight       | 5MT-30MT                                      |




|                   |                                                     |
|-------------------|-----------------------------------------------------|
| Product name      | Steel C Channel                                     |
| Material          | Q235,SS400,A36,S235JR                               |
| Specification     | C80, C100, C120, C140, C160, C180, C200, C220, C250 |
| Standard          | GB/T 6725-2002                                      |
| Type              | Slotted/Non-slotted                                 |
| Surface treatment | Black, galvanized, Painted                          |

|                   |                                                  |
|-------------------|--------------------------------------------------|
| Product name      | Solar Bracket/Support                            |
| Material          | Q235,SS400,A36,S235JR                            |
| Specification     | 41x21, 41x41, 41x52, 41x62,41x72, 41x82          |
| Standard          | GB/T 6725-2002                                   |
| Type              | Slotted/Non-slotted, back to back or as required |
| Surface treatment | Black, galvanized, Zinc- Al-Mg, Painted          |




HOT ROLLED / COLD ROLLED




|              |                                   |
|--------------|-----------------------------------|
| Product Name | U Channel Bar/UPE/UPN             |
| Grade        | Q235,Q355, A36, SS400,            |
| Size         | UPN/UPE80-100; 50x37mm-400x104mm, |
| Length       | 6m,9m,12m or as required          |
| Surface      | Black, Hot dip galvanized         |

|              |                                   |
|--------------|-----------------------------------|
| Product Name | H Beam/I Beam/W Beam              |
| Grade        | Q235,Q355, A36, SS400, A570 Gr.50 |
| Size         | H100x100-900x300mm                |
| Length       | 6m,9m,12m or as required          |
| Surface      | Black, Hot dip galvanized         |




|              |                           |
|--------------|---------------------------|
| Product Name | Angle Bar                 |
| Grade        | Q235,Q355, A36, SS400,    |
| Size         | 25x25mm-200x200mm         |
| Length       | 6m,9m,12m or as required  |
| Type         | Equal angle/Unequal angle |
| Surface      | Black, Hot dip galvanized |

|              |                                               |
|--------------|-----------------------------------------------|
| Product Name | Flat Bar                                      |
| Grade        | Q235,SS400, A36                               |
| Length       | 5.8m,6m,9m,12m or as required                 |
| Surface      | Black, Pre-galvanized, Hot dip galvanized     |
| Application  | 1.Making tools and machinery parts 2.Building |




|              |                                            |
|--------------|--------------------------------------------|
| Product Name | Steel Deformed Bar                         |
| Grade        | HRB400/HRB400E, HRB500/HRB500E             |
| Size (mm)    | 6,8,10,12,14,16,18,20,22,25,28,32,36,40,50 |
| Length       | 6m, 12m or as required                     |
| Surface      | Black, galvanized                          |

|              |                                            |
|--------------|--------------------------------------------|
| Product Name | Steel Round Bar                            |
| Grade        | Q235, Q355, 45# steel, 20# steel           |
| Size (mm)    | 6,8,10,12,14,16,18,20,22,24,25,28,30,32,35 |
| Length       | 6m,12m or as required                      |
| Type         | Black, galvanized                          |






## STEEL TUBES



|                     |                                                                     |
|---------------------|---------------------------------------------------------------------|
| Product description | Welded Steel Square /Rectangular pipe                               |
| Steel No./Grade     | Q195,Q235,Q355,ASTM A36, SS400                                      |
| Technology          | Black, Pre galvanized; Hot dip galvanized                           |
| Standard            | ISO1461:999; GB/T21835-2008; GB/T3092                               |
| Zinc weight         | Customized under standard(30g/m <sup>2</sup> -275g/m <sup>2</sup> ) |
| Zinc thickness      | Customized under standard(10 μ m-80 μ m )                           |

|                     |                                                                     |
|---------------------|---------------------------------------------------------------------|
| Product description | Welded Steel round pipe                                             |
| Steel No./Grade     | Q195,Q235,ASTM A36, SS400                                           |
| Technology          | Black, Pre galvanized; Hot dip galvanized                           |
| Standard            | ISO1461:999; GB/T21835-2008; GB/T3092                               |
| Zinc layer          | Customized under standard(20g/m <sup>2</sup> -600g/m <sup>2</sup> ) |
| Zinc thickness      | Customized under standard(3μm-80μm )                                |



|                     |                                                   |
|---------------------|---------------------------------------------------|
| Product description | Black Annealed Pipe                               |
| Steel No./Grade     | Q195,Q235,ASTM A36, SS400                         |
| Technology          | Black annealed, All black                         |
| Pipe shape          | Round, square, rectangular, T pipe, Z pipe, Lpipe |
| Standard            | ISO1461:999; GB/T21835-2008; GB/T3092             |

## STEEL WIRE & MESH




|              |                                                 |
|--------------|-------------------------------------------------|
| Product Name | Hot Rolled Steel Wire Rod                       |
| Steel Grade  | Q195/235, SAE 1006-1018B                        |
| Thickness    | 5.5mm,6.5mm,8mm,10mm, 12mm, 14mm,16mm,18mm,20mm |
| Surface      | Black, Galvanized                               |
| Coil weight  | 2 tons, 2.5 tons                                |

|              |                                          |
|--------------|------------------------------------------|
| Product Name | Galvanized Steel Wire                    |
| Steel Grade  | Q195/235                                 |
| Wire Dia     | 1-4mm                                    |
| Surface      | Black, Galvanized                        |
| Coil weight  | 25kg, 50kg, 100kg, 500kg                 |
| Package      | Plastic bag+woven bag; plastic+gunny bag |



|              |                                          |
|--------------|------------------------------------------|
| Product Name | Black Annealed Steel Wire                |
| Steel Grade  | Q195/235                                 |
| Wire Dia     | 1-4.5mm BWG No                           |
| Surface      | Black                                    |
| Coil weight  | 25kg, 50kg, 100kg, 500kg                 |
| Package      | Plastic bag+woven bag; plastic+gunny bag |






| Product Name | Barbed Wire                                                 |                    |                    |                    |
|--------------|-------------------------------------------------------------|--------------------|--------------------|--------------------|
| Wire Gauge   | Barb spacing<br>3"                                          | Barb spacing<br>4" | Barb spacing<br>5" | Barb spacing<br>6" |
| 12x12        | 6.06                                                        | 6.76               | 7.27               | 7.64               |
| 12x14        | 7.33                                                        | 7.91               | 8.30               | 8.57               |
| 14x14        | 10.45                                                       | 11.66              | 12.54              | 13.18              |
| Surface      | 1. Electro galvanized; 2. Hot dip galvanized; 3. Pvc coated |                    |                    |                    |


| Product Name: Razor Wire |                                                                              |                  |                     |                    |                      |
|--------------------------|------------------------------------------------------------------------------|------------------|---------------------|--------------------|----------------------|
| Model                    | Thickness<br>(mm)                                                            | Wire Dia<br>(mm) | Barb length<br>(mm) | Barb width<br>(mm) | Barb spacing<br>(mm) |
| BTO-12                   | 0.5                                                                          | 2.5+/-0.1        | 12+/-1              | 15+/-1             | 26+/-1               |
| BTO-15                   | 0.5                                                                          | 2.5+/-0.1        | 18+/-1              | 15+/-1             | 33+/-1               |
| BTO-22                   | 0.5                                                                          | 2.5+/-0.1        | 22+/-1              | 15+/-1             | 34+/-1               |
| BTO -30                  | 0.5                                                                          | 2.5+/-0.1        | 30                  | 18                 | 45+/-1               |
| CBT-60                   | 0.6                                                                          | 2.5+/-0.1        | 60+/-2              | 32+/-1             | 100+/-2              |
| CBT-65                   | 0.6                                                                          | 2.5+/-0.1        | 65+/-2              | 21+/-1             | 100+/-2              |
| Surface                  | Electro galvanized; 2. Hot dip galvanized; 3. Pvc coated; 4. Stainless steel |                  |                     |                    |                      |



| Product Name | Galvanized/PVC Coated Chain Link Fence |           |            |
|--------------|----------------------------------------|-----------|------------|
| Hole Size    | Wire Gauge                             | Width (m) | Length (m) |
| 1"           | BWG11, 12,14                           | 0.5-4     | 5-25       |
| 1-1/2"       | BWG9, 10, 11, 12,13                    | 0.5-4     | 5-25       |
| 2"           | BWG9, 10, 11, 12,13                    | 0.5-4     | 5-25       |
| 2-1/2"       | BWG9, 10, 11, 12                       | 0.5-4     | 5-25       |
| 2-1/4"       | BWG9, 10, 11, 12                       | 0.5-4     | 5-25       |
| 2-3/8"       | BWG9, 10, 11, 12                       | 0.5-4     | 5-25       |
| 3"           | BWG8, 9, 10, 12                        | 0.5-4     | 5-25       |

| Product Name  | Galvanized / PVC Coated Mesh Panel |                     |               |              |
|---------------|------------------------------------|---------------------|---------------|--------------|
| Wire<br>(SWG) | Wire Dia<br>(mm)                   | Hole Size<br>(inch) | Length<br>(m) | Width<br>(m) |
| 8"            | 4.06                               | 2"                  | 4             | 2            |
| 9"            | 3.65                               | 2"                  | 4             | 2            |
| 10"           | 3.25                               | 2"                  | 4             | 2            |
| 11"           | 2.95                               | 2"                  | 4             | 2            |
| 12"           | 2.65                               | 1"                  | 3             | 1.2          |
| 13"           | 2.34                               | 1"                  | 3             | 1.2          |
| 14"           | 2.03                               | 1"                  | 3             | 1.2          |





Commercial Building Of Wanbangyuecheng, Xijuntun Town,  
Fengrun District, Tangshan, Hebei, China



86-315-2199609



<https://tsrunying.en.alibaba.com>  
<http://www.tsrysteel.com/>